

REEL VMV 800/127-680 V VR

07 General reels, 09 VM - reels



Reusable

Winding material : data cable, power cables, Extruded cables, Conductor, Metal strip, metal tape, superconductor, square wire, bare wires, Stainless steel wires, Braiding wire, Alloy wires, Stranded wires, Steel wire rope

Material : ABS

Standard winding volume : 171530 cm³

Central bore Ø : 127 mm

Catalogue categorization: 07 , 09

DIN 46395

TECHNICAL DATA - SPOOLS

Spools

Flange Ø	Barrel Ø	Central bore Ø	Width	Winding width	Flange thickness	Winding-volume	Central bore Ø tapered part	Drive-hole/pin	Drive-distance
d1 [mm]	d2 [mm]	d3 [mm]	L1 [mm]	L2 [mm]	S [mm]	V [cm ³]	d4 [mm]	d5 [mm]	E1 [mm]
800	500	16 - 127	680	60 - 560	60	18378 - 171531	143.5	2 x 32	127.5

PACKAGING

Designation	Cardboard box	Cardboard box weight	Cardboard box Outside Deminsions	Pallets	Pallet weight	Pallet's external dimensions
	piece	kg	cm	piece	kg	cm
Reel VMV 800/127-680 V VR	0	-		2	-	80x80x152

Important:

If pallet packaging is indicated, this is the preferred method of packing the spools. Please note that the pallets must not be stored in direct sunlight, as the heat build-up may cause the plastic to warp permanently.

TECHNICAL DRAWING

Spools

